

USSN 09/779,901  
Amendment Responsive to Office Action of September 23, 2004  
November 23, 2004  
8494.01P

Amendments to the Specification :

Please amend the passage on page 5, line 16 through page 6, line 12, to read as follows:

- FIG. 1 shows one embodiment of a hanging file folder pocket system with multiple pockets each sharing a common cross-support between adjacent pockets according to the present invention[.] ;
- FIG. 2 shows one embodiment according to the present invention with a single file-supporting member[.] ;
- FIG. 3A shows one embodiment according to the present invention with a non-solid file supporting member[.] ;
- FIG. 3B shows a second embodiment according to the present invention with a non-solid file supporting member;
- FIG. 3C shows a third embodiment according to the present invention with a non-solid file supporting member;
- FIG. 3D shows a fourth embodiment according to the present invention with a non-solid file supporting member;
- FIG. 4 shows one embodiment according to the present invention with multiple file-supporting members[.] ;
- FIG. 5 shows one embodiment according to the present invention with the file-supporting member being formed of the same material as the cross-support[.] ;
- FIG. 5A shows a detail view of a variant of the FIG. 5 embodiment;
- FIG. 6 shows one embodiment according to the present invention of a selected number of pockets presented [for sale] as a single unit;
- FIG. 7 shows one embodiment according to the present invention of individual pockets with two cross-supports formed with multiple file-supporting members[.] ;

**BEST AVAILABLE COPY**

USSN 09/779,901  
Amendment Responsive to Office Action of September 23, 2004  
November 23, 2004  
8494.01P

- FIG. 8 shows one embodiment according to the present invention [with] supporting a method of removing a file-supporting member from a cross-support and attaching it to the same or another cross-support;
- FIG. 8A illustrates the tab of the FIG. 8 embodiment in its original, initially continuous and attached orientation;
- FIG. 8B shows the tab of the FIG. 8 embodiment after it has been removed from the body and inserted through the illustrated slot;
- FIG. 8C illustrates a separate piece comprising a cross section and two tab assemblies for adding additional pockets to the embodiment of FIG. 8;
- FIG. 8D shows an embodiment of a tab for use with a ribbon-like file supporting member with a rigid member affixed to the end;
- FIG. 9 shows one embodiment according to the present invention with a method of creating a pocket with variable depth[.] :
- FIG. 9A shows a second embodiment similar to FIG. 9 for creating a pocket with variable depth;
- FIG. 9B shows a third embodiment similar to FIG. 9 for creating a pocket with variable depth;
- FIG. 10 shows one embodiment according to the present invention of a divider which hangs on the lengthwise supports to create multiple, individually identifiable areas in a single pocket :
- FIG. 11 shows one embodiment according to the present invention with a method of attaching the file-supporting member to the cross-support with notches, holes or slots[.] :
- FIG. 11A shows representative embodiments for attaching file-supporting members to the cross-supports;
- FIG. 12 shows one embodiment according to the present invention with a method of creating a tab of the same material as the file-

USSN 09/779,901  
Amendment Responsive to Office Action of September 23, 2004  
November 23, 2004  
8494.01P

supporting member and rises somewhat vertically above the cross-support[.] :

FIG. 13 shows one embodiment according to the present invention with a method of creating a tab which is attachable to the cross-support and rises somewhat vertically above the cross-support;

FIG. 14 shows one embodiment according to the present invention wherein one or more manila-type file folders are pre-labeled to correspond to their respective pockets in the hanging file folder pocket system with a method that correlates to the marking on the pocket tab[.] : and

FIG. 15 shows one embodiment according to the present invention with a method of creating a pocket with non solid sides such as holes or made of web or net or ribbon or string suspended between two lengthwise supports on a supporting member that is not a single bar. --

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**